Nonresponsive based on revised scope @westonsolutions.com] To: Wagner, Christine]/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP From: (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02] Sat 4/4/2020 8:36:20 PM (UTC) Sent: Subject: Q2 for Next week (not the weekend) -- FW: Unvalidated Electronic Data for Shiloh Church Road, 48426 EQuIS 3 48426 C0AS8 31465329.xls EQuIS 2 48426 C0AS8 31465329.xls EQuIS 1 48426 COAS8 31465329.xls EQuIS 48426 C0AS8 31465329.xls Question #2 – I do not understand these sample locations. Please help Thank you From: Nonresponsive based on revised scope @epa.gov> Sent: Monday, September 23, 2019 3:42 PM To: Wagner, Christine < Wagner. Christine@epa.gov> Cc: Nonresponsive based on revised scope @WestonSolutions.com>; Nonresponsive based on revised scope @WestonSolutions.com> Subject: Unvalidated Electronic Data for Shiloh Church Road, 48426 Christine, Attached you will find the unvalidated data for case 48426, SDG C0AS8 from Shiloh Church Road. Please contact Nonresponsive based on revised scope Or Nonresponsive based on revised scope @epa.gov if additional assistance is required. Nonresponsive based on revised scope on revised scope | | Chemistry Data Manager |

ICF | 701 Mapes Road, Fort Meade, MD 20755-5350